

**MATERIAL SAFETY DATA SHEET**  
**ZOECON ALTOSID® BRIQUETS**

**Manufacturer:** Wellmark International  
**Address:** 1501 E. Woodfield Rd., Suite 200 West, Schaumburg, IL 60173  
**Emergency Phone:** 1-800-248-7763  
**Transportation Emergency Phone:** CHEMTREC: 1-800-424-9300

**1. CHEMICAL PRODUCT INFORMATION**

**Product Name:** Zoecon Altosid® Briquets  
**Chemical Name/Synonym:** S)-Methoprene: Isopropyl (2E,4E,7S)-11-methoxy-3,7,11-trimethyl-2,4-dodecadienoate  
**Chemical Family:** Terpenoid  
**Formula:** C<sub>19</sub> H<sub>34</sub> O<sub>3</sub>  
**EPA Registration No.:** 2724-375-  
**RF Number:** 433A

**2. COMPOSITION / INFORMATION ON INGREDIENTS**

<u>Component (chemical, common name)</u>	<u>CAS Number</u>	<u>Weight</u>	<u>Tolerance</u>
(S)-Methoprene: Isopropyl (2E,4E,7S)-11-methoxy-3,7,11-trimethyl-2,4-dodecadienoate	65733-16-6	8.62%	Not established
Inert ingredients (non-hazardous and/or trade secret):		91.38%	

**3. HAZARD INFORMATION**

**PRECAUTIONARY STATEMENT**  
Caution: Keep out of the reach of children..

**SIGNS AND SYMPTOMS OF OVEREXPOSURE**

No adverse reactions have resulted from normal human exposure during research and testing. Adverse animal reactions to this product have not been shown.

**PRIMARY ROUTE OF ENTRY**     Dermal/Eye: Yes     Oral: Yes     Inhalation: Yes

**ACUTE TOXICITY**

**Oral:** LD50 (rat): > 34,600 mg/kg bw (highest dose level tested) (Based on S-Methoprene)

**Dermal:** LD50 (rabbit) >5,000 mg/kg bw (Based on S-Methoprene)

**Inhalation:** LC50 (rat): >5.19 mg/L air (Based on S-Methoprene)

**OTHER TOXICOLOGICAL INFORMATION**

**Skin Irritation:** Non-irritating (rabbit) (Based on S-Methoprene)  
**Eye Irritation:** Practically non-irritating (rabbit) (Based on S-Methoprene)  
**Sensitizer:** Not a sensitizer(guinea pig) (Based on S-Methoprene)

#### 4. FIRST AID MEASURES

- Eye:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
- Skin:** Wash material off with soap and water. Remove contaminated clothing and footwear. See a physician if symptoms persist.
- Ingestion:** Drink 1-2 glasses of water and try to induce vomiting. Seek medical attention. Never give anything by mouth to an unconscious person.
- Inhalation:** Remove victim to fresh air. See a physician if cough or other respiratory symptoms develop
- Note to Physician:** Treat symptomatically

#### 5. FIRE FIGHTING MEASURES

- NFPA Rating:**    **Health:** 0                      **Fire:** 0                      **Reactivity:** 0
- Flammability Class:** N/A
- Flash Point:** Does not flash
- Explosive Limits (% of Volume):** N/A
- Extinguishing Media:** Water, foam, dry chemical
- Special Protective Equipment:** Firefighters should wear protective clothing, eye protection, and self contained breathing apparatus.
- Fire Fighting Procedures:** Normal procedures. Do not allow run-off to enter waterways inhabited by aquatic organisms
- Combustion Products:** Carbon dioxide, carbon monoxide
- Unusual Fire/Explosion Hazards:** None

#### 6. ACCIDENTAL RELEASE MEASURES

- Steps to be taken:** Sweep up material and place in a container for disposal. Do not allow spill to enter waterways inhabited by aquatic organisms
- Absorbents:** None necessary due to product form
- Incompatibles:** None

#### 7. HANDLING AND STORAGE

- Handling:** Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling.
- Storage:** Store in a cool, dry place. Do not contaminate food or feed by storage or disposal. Keep away from children.

#### 8. EXPOSURE CONTROL / PERSONAL MEASURES

- Exposure Limits:** Not applicable
- Ventilation:** Use with adequate ventilation.
- Personal Protective Equipment:** Under ordinary use conditions, no special protection is required. If prolonged exposure is expected, it is recommended to wear a MSHA/NIOSH approved organic vapor/pesticide respirator, impervious gloves, chemical goggles or safety glasses with side shields.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance and Odor:</b>	Grey to black solid with slight hydrocarbon odor.
<b>Boiling Point:</b>	N/A
<b>Melting Point:</b>	N/A
<b>Vapor Pressure (mm Hg):</b>	N/A
<b>Vapor Density (Air = 1):</b>	N/A
<b>Specific Gravity:</b>	1.4 g/cc
<b>Bulk Density:</b>	N/A
<b>Solubility:</b>	1 ppm
<b>Evaporation Rate:</b>	N/A
<b>pH:</b>	N/A

## 10. STABILITY AND REACTIVITY

<b>Stability:</b>	Stable
<b>Reactivity:</b>	Non-reactive
<b>Incompatibility w/ Other Materials:</b>	None
<b>Decomposition Products:</b>	None
<b>Hazardous Polymerization:</b>	Will not occur

## 11. TOXICOLOGICAL INFORMATION

### **CHRONIC TOXICITY [Based on (RS)-Methoprene Technical]**

Methoprene is not considered as a carcinogen. The NOEL for non-carcinogen effects in an 18-month mouse study was 250ppm.

### **DEVELOPMENTAL/REPRODUCTIVE TOXICITY [Based on (RS)-Methoprene Technical]**

Methoprene is not a teratogen. The NOEL for maternal and embryo toxicity in rabbits was 200 mg/kg/day. The NOEL for reproductive effects in rats was 500 ppm.

### **MUTAGENICITY [Based on (RS)-Methoprene Technical]**

Methoprene is not a mutagen.

## 12. ECOLOGICAL INFORMATION

### **ENVIRONMENTAL FATE [Based on (RS)-Methoprene Technical]**

<b>Hydrolysis:</b>	T1/2 > 4 weeks
<b>Photolysis:</b>	T1/2 < 10 hours
<b>Soil half life:</b>	~ 10 days
<b>Water solubility:</b>	< 2 ppm

### **ECOTOXICITY [Based on (S)-Methoprene Technical]**

**Acute Toxicity:** fish:LC50 (trout): 760 ppb, (bluegill): > 370 ppb ((S)-Methoprene); **aquatic invertebrates:**LC50 (Daphnia): 360 ppb ((S)-Methoprene. )

### 13. DISPOSAL CONSIDERATIONS

Wastes resulting from the use of this product may be disposed of on site or at an approved waste management facility. Triple rinse (or equivalent). Do not contaminate water when disposing of rinsate or equipment wash waters. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

### 14. TRANSPORT INFORMATION

**DOT49CFR Description:** Not regulated as hazardous by D.O.T.

**Freight Classification:** Insecticides, NOI other than poison in boxes or drums. NMFC 102120

### 15. REGULATORY INFORMATION

**CERCLA (Superfund):** Not regulated

**RCRA:** Not regulated as hazardous

#### **SARA 311/312 HAZARD CATEGORIES**

**Immediate Health:** Yes (irritation)

**Delayed Health:** No

**Fire:** No

**Sudden Pressure:** No

**Reactivity:** No

*The information presented herein, while not guaranteed, was prepared by technically knowledgeable personnel and to the best of our knowledge is true and accurate. It is not intended to be all inclusive and the manner and conditions of use and handling may involve other or additional considerations.*